

**1. Lengthening temporalis myoplasty for facial palsy reanimation.**

Har-Shai Y, Metanes I, Badarny S, Cuzin P, Gil T, Mayblum S, Aman B, Labbé D.

Unit of Plastic Surgery, Carmel Medical Center, Haifa, Israel

Isr Med Assoc J. 2007 Feb;9(2):123-4.

**2. Mobile phone-triggered thermal burns in the presence of supplemental oxygen.**

Gil T, Metanes I, Har-Shai Y.

Unit of Plastic Surgery, Carmel Medical Center, and the Bruce Rappaport Faculty of Medicine, Technion, Israel Institute of Technology, Haifa, Israel.

J Burn Care Res. 2007 Mar-Apr;28(2):348-50.

**3. Six tissue expansion sessions of the scalp for reconstruction of post-burn alopecia.**

Gil T, Metanes I, Aman B, Taran A, Mayblum S, Izhak T, Har-Shai Y.

The Unit of Plastic Surgery, Carmel Medical Center and the Bruce Rappaport Faculty of Medicine, Technion Israel Institute of Technology, Haifa, Israel.

J Burn Care Res. 2008 Mar-Apr;29(2):390-4

**4. Intralesional cryosurgery for the treatment of hypertrophic scars and keloids following aesthetic surgery: the results of a prospective observational study.**

Har-Shai Y, Brown W, Labbé D, Domp martin A, Goldine I, Gil T, Mettanes I, Pallua N.

The Bruce Rappaport Faculty of Medicine, Unit of Plastic Surgery, Carmel Medical Center, Israel Institute of Technology, Technion, Haifa, Israel

Int J Low Extrem Wounds. 2008 Sep;7(3):169-75.

**5. Brow lift for the correction of visual field impairment.**

Har-Shai Y, Gil T, Metanes I, Schefflan M.

Carmel Medical Center, Bruce Rappaport Faculty of Medicine, Technion-Israel Institute of Technology, Haifa, Israel

Aesthet Surg J. 2008 Sep-Oct;28(5):512-7.

**6. Contralateral internal mammary silicone lymphadenopathy imitates breast cancer metastasis.**

Gil T, Mettanes I, Aman B, Taran A, Shoshani O, Best LA, Naroditsky I, Har-Shai Y.

Unit of Plastic Surgery, Carmel Medical Center, Haifa, Israel.

Ann Plast Surg. 2009 Jul;63(1):39-41.

**7. Hyperbaric oxygen therapy for non-healing wounds.**

Kulikovsky M, Gil T, Mettanes I, Karmeli R, Har-Shai Y.

Wound Care Clinic, Linn Medical Center, Clalit Health Services, Haifa and Western Galilee District, Israel

Isr Med Assoc J. 2009 Aug;11(8):480-5.

**8. The five-flap technique for the correction of post-circumcision peno-scrotal webbing.**

Gil T, Metanes I, Aman B, Gruenwald I, Vardi Y, Har-Shai Y.

J Plast Reconstr Aesthet Surg. 2010 Mar;63(3):e325-6. Epub 2009 Apr 11.

**9. Intraoperative muscle electrical stimulation for accurate positioning of the temporalis muscle tendon during dynamic, one-stage lengthening temporalis myoplasty for facial and lip reanimation.**

Har-Shai Y, Gil T, Metanes I, Labbé D.

Department of Plastic Surgery, Carmel Medical Center, Haifa, Israel. yaron07@yahoo.com

Plast Reconstr Surg. 2010 Jul;126(1):118-25.

**10. Atypical fibroxanthoma of the scalp following hair transplantation in a 35-year-old male.**

Gil T, Sabo E, Kerner H, Metanes I, Har-Shai Y.

The Plastic Surgery Unit, Carmel Medical Center, 7 Michal Street, Haifa 34362, Israel

J Plast Reconstr Aesthet Surg. 2010 Oct;63(10):e725-8. Epub 2010 Jul 29.

**11. Keloid histopathology after intralesional cryosurgery treatment.**

Har-Shai Y, Mettanes I, Zilberstein Y, Genin O, Spector I, Pines M.

Departments of Plastic Surgery, The Bruce Rappaport Faculty of Medicine, Carmel and Linn Medical Centers, Technion - Israel Institute of Technology, Haifa The Sackler Cellular and Molecular Imaging Center (SCMIC), Tel Aviv University, Tel Aviv Institute of Animal Sciences, The Volcani Center, Bet Dagan, Israel.

J Eur Acad Dermatol Venereol. 2010 Nov 25. doi: 10.1111/j.1468-3083.2010.03911.x. [Epub ahead of print]

**12. PS: A method for maintaining the earring tract during the replacement of a temporary earring to a permanent one following repair of a cleft earlobe.**

*accepted for publication in European Journal of Plastic Surgery.*